

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
2012	Apex (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2012	Nytro (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2012	Phazer (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2012	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2012	RS Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2012	Venture Lite	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2012	RS Viking Pro.	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2011	Apex (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2011	Nytro (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2011	Phazer (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2011	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2011	Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2011	Venture Lite	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2011	RS Viking Pro.	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2010	Apex (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2010	Nytro (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2010	Phazer (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2010	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2010	Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2010	Venture Lite	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2010	RS Viking Pro.	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2009	Apex (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2009	Nytro (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2009	Phazer (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2009	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
2009	Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2009	Venture Lite	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2009	RS Viking Pro.	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	Apex (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	Nytro (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	Phazer (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	Venture Lite	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	RS Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	RS Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	RS Rage	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2008	RS Viking Pro.	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	Apex (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	Attak	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	Nytro (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	Phazer (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	Venture Lite	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	RS Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	RS Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	RS Rage	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2007	RS Viking Pro.	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	Apex (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	Attak	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	Nytro (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
2006	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	RS Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	RS Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	RS Rage	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	RS Viking Pro.	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	RX1 / ER / Warrior	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	RX1 Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	SX Venom / ER	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	SX Viper Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2006	Venture 600	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	RS Venture (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	RS Vector (All)	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	RS Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	RS Rage	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	RX1 / ER / Warrior	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	RX1 Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	SX Venom / ER	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	SX Viper Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	Venture 600	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2005	Viking 540 III	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2004	Mountain Max 700	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2004	RX1 / ER / Warrior	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2004	RX1 Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2004	SX Venom / ER	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2004	SX Viper S / ER	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2004	SX Viper Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
2004	Venture 600 / 700	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2004	Viking 540 III	20-1/2"	3	X10-1-636	X10-2-636	X-PR1-636	X-PRT-636	025-636	055-636
2003	Mountain Max 700	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2003	RX1 / ER / Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2003	SX 600 R	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2003	SX Venom / ER	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2003	SX Viper ER / Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2003	SX Viper Mountain	21"	4	X10-1-644	X10-2-644	X-PR1-644	X-PRT-644	025-644	055-644
2003	Venture 600 / 700	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2003	Viking 540 III	20-1/2"	3	X10-1-636	X10-2-636	X-PR1-636	X-PRT-636	025-636	055-636
2002	Mountain Max 600 / 700	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2002	SRX (All)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2002	SX 600 R	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2002	SX Viper / ER	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2002	Venture 600 / 700	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2002	Viking 540 III	20-1/2"	3	X10-1-636	X10-2-636	X-PR1-636	X-PRT-636	025-636	055-636
2002	V-Max 600 ER	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2002	V-Max Deluxe 600/700	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2001	Mountain Max (All)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2001	Phazer (Except MTN Lite)	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2001	Phazer (Mountain Lite)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2001	SRX (All)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2001	SX (All)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2001	Venture (All)	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2001	Viking 540 III	20-1/2"	3	X10-1-636	X10-2-636	X-PR1-636	X-PRT-636	025-636	055-636

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
2001	V-Max (All)	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2000	Mountain Max (All)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2000	Phazer 500	20-1/2"	3	X10-1-635	X10-2-635	X-PR1-635	X-PRT-635	025-635	055-635
2000	Phazer (Mountain Lite)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2000	SRX (All)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2000	SX (All)	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2000	SXR	18-3/4"	4	X10-1-640	X10-2-640	X-PR1-640	X-PRT-640	025-640	055-640
2000	Venture (All)	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
2000	Viking 540 III	20-1/2"	3	X10-1-636	X10-2-636	X-PR1-636	X-PRT-636	025-636	055-636
2000	V-Max (All)	21"	4	X10-1-642	X10-2-642	X-PR1-642	X-PRT-642	025-642	055-642
1999	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1999	Mountain Max 600 / 700	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1999	Phazer 500	20-1/2"	3	X10-1-635	X10-2-635	X-PR1-635	X-PRT-635	025-635	055-635
1999	Phazer (Mountain Lite)	18-5/8"	4	X10-1-634	X10-2-634	X-PR1-634	X-PRT-634	025-634	055-634
1999	SRX 600 / 700	18-5/8"	4	X10-1-634	X10-2-634	X-PR1-634	X-PRT-634	025-634	055-634
1999	Venture 500 / 600	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1999	Viking 540 III	20-1/2"	3	X10-1-636	X10-2-636	X-PR1-636	X-PRT-636	025-636	055-636
1999	V-Max 500 / 600/ 700	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1999	V-Max 500 / 600/ 700 / SX	18-5/8"	4	X10-1-634	X10-2-634	X-PR1-634	X-PRT-634	025-634	055-634
1998	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1998	Mountain Max 600 / 700	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1998	Mountain SRX 700	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1998	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1998	SRX 600 / 700	18-5/8"	4	X10-1-634	X10-2-634	X-PR1-634	X-PRT-634	025-634	055-634
1998	Venture 500 / 600	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
1998	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1998	V-Max 500 / 600/ 700	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1997	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1997	Mountain Max 600 / 700	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1997	Mountain Max 800	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1997	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1997	Venture 500 / 600	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1997	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1997	V-Max 500 / 600/ 700	17-1/8"	4	X10-1-632	X10-2-632	X-PR1-632	X-PRT-632	025-632	055-632
1997	V-Max 800	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1997	VT- Venture 480	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1996	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1996	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1996	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1996	V-Max 500 / 600	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1996	V-Max 800	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1996	VT- Venture 480	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1995	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1995	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1995	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1995	V-Max 500 / 600	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1995	VT- Venture 480	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1994	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1994	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
1994	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1994	V-Max 4	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1994	V-Max 500 / 600	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1994	VT- Venture 480	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1993	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1993	Enticer II	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1993	Exciter	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1993	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1993	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1993	V-Max 4	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1993	VT- Venture 480	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1992	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1992	Enticer II	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1992	Exciter	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1992	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1992	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1992	V-Max 4	22-9/16"	4	X10-1-630	X10-2-630	X-PR1-630	X-PRT-630	025-630	055-630
1992	VT- Venture 480	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1991	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1991	Enticer LTR	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1991	Exciter	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1991	Excel V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1991	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1991	SR-V	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1991	VK-Viking	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
1991	VT- Venture 480	20-1/2"	3	X10-1-625	X10-2-625	X-PR1-625	X-PRT-625	025-625	055-625
1990	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1990	ET 400 LT	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1990	EX Exciter	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1990	Excel V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1990	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1990	SR-V	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1990	VK-Viking 540	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1989	CS Ovation	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1989	ET 400 LT	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1989	EX Exciter	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1989	Excel V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1989	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1989	SR-V	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1989	VK-Viking 540	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1988	Enticer	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1988	ET 340T	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1988	EX Exciter	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1988	Excel III	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1988	Excel V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1988	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1988	SR-V	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1987	Enticer	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1987	ET 340T	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
1987	EX Exciter	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1987	Excel III	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1987	Excel V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1987	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1987	SR-V	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1987	V-Max	24-1/2"	3	X10-1-619	X10-2-619	X-PR1-619	X-PRT-619	025-619	055-619
1986	Enticer	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1986	ET 340T	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1986	Excel III	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1986	Excel V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1986	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1986	SR-V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1986	V-Max	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1985	Enticer	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1985	ET 340T	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1985	Excel III	20-1-2"	3	X10-1-617	X10-2-617	X-PR1-617	X-PRT-617	025-617	055-617
1985	Excel V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1985	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1985	SR-V	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1985	SS-440	28-3/4"	3	X10-1-610	X10-2-610	N/A	N/A	025-610	055-610
1985	V-Max	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1984	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1984	ET 340T	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1984	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1984	Excel III	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
1984	Excel V	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1984	Phazer (All)	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1984	SR-V	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1984	SS-440	28-3/4"	3	X10-1-610	X10-2-610	N/A	N/A	025-610	055-610
1984	V-Max	22-1/2"	4	X10-1-614	X10-2-614	X-PR1-614	X-PRT-614	025-614	055-614
1983	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1983	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1983	Excel III	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1983	Excel V	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1983	SR-V	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1983	SS-440	28-3/4"	3	X10-1-610	X10-2-610	N/A	N/A	025-610	055-610
1982	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1982	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1982	Excel V	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1982	SR-V	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1982	SS-440	28-3/4"	3	X10-1-610	X10-2-610	N/A	N/A	025-610	055-610
1981	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1981	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1981	Excel V	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1981	SR-V	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1981	SS-440	28-3/4"	3	X10-1-610	X10-2-610	N/A	N/A	025-610	055-610
1980	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1980	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1980	Excel V	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608

**\*\*Tru Traks are available for: 640 & 644**

## YAMAHA RUNNER APPLICATIONS

Year	Model	Runner Length	# of studs	Roetin Part #'s					
				4" 90 deg	6" 90 deg	6" 60 deg	8" 60 deg	Replacement	Hardweld
1980	SR-V	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1980	SRX 340 / 440	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1980	SS-440	28-3/4"	3	X10-1-610	X10-2-610	N/A	N/A	025-610	055-610
1979	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1979	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1979	Excel V	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1979	SRX 340 / 440	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1978	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1978	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1978	SRX 340 / 440	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1977	ET 250 / 300 / 340	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1977	EX 340 / 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1977	GP 440	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1977	GS 300 / 340	30-1/2"	4	X10-1-608	X10-2-608	N/A	N/A	025-608	055-608
1977	SRX 340 / 440	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1976	SRX 340 / 440	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1975	GPX	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609
1974	GPX	22-1/2"	3	X10-1-609	X10-2-609	N/A	N/A	025-609	055-609